



Proximus Reference ULL Offer

Raw Copper & Shared Pair

Annex G2

**Improved Service Level Agreement
for Repair**

Communicated to the Belgian Institute for Postal services and Telecommunications on 23/07/2018
Our reference: MSO & Servicing version

Table of contents

1. Object.....	4
2. Scope.....	4
3. Prerequisites.....	4
4. Conditions.....	5
5. Terminology	6
6. Set-up of the service.....	6
7. Beneficiary's obligations	6
7.1 Contact persons.....	6
7.2 Site access	7
7.3 Required Information.....	7
8. Timers.....	8
8.1 Preliminary	8
8.1.1 Timers.....	8
8.1.2 General Feedback Timer.....	8
8.2 Repair of the End-User line.....	8
8.2.1 Repair Case Resolution Timer.....	8
8.2.2 Availability	10
9. Prices.....	10
10. Terms and Conditions for Compensations	10
10.1 General.....	10
10.2 End-User line Repair Timer Escalations	11

10.2.1 Repair Case Resolution Timer 11

10.2.2 Availability 11

1. Object

1. The present document defines the specific Terms and Conditions upon which Proximus will repair Raw Copper and Shared Pair lines in case an Improved SLA (ISLA) option is activated for those lines. The specific elements included in this document replace those documented in the Annex G1 "Basic Service Level Agreement" of the present Proximus Reference ULL Offer, unless otherwise stated.
2. The Beneficiary is offered two choices for the Improved SLA product option:
 - The Premium ISLA choice where the repair service to be provided by Proximus is available 24 hours per day, 7 days a week.
For the sake of clarity, this choice corresponds to the former ISLA Repair.
 - The Enhanced ISLA choice¹ where the repair service to be provided by Proximus is available during Working Days from 7:00 to 22:00, including Saturday, but excluding Sunday, Belgian and Proximus holidays. Proximus holidays are 2 January and 26 December.
For the sake of clarity, this choice corresponds to an intermediate SLA between the Basic SLA and the Premium ISLA.

2. Scope

3. The scope of this document is to set a framework for operational collaboration between Proximus and Beneficiary that ensures the respect of the fixed repair deadlines and a defined quality of the provided services.
4. The intention is to minimize the risk of shortcomings and to motivate all Parties to respect the thresholds set in this ISLA and to provide an incentive to enhance the performance of both Parties.
5. Both Parties agree that the objective of this document is to optimize operational collaboration and all efforts should be taken to avoid compensations or penalty fees.
6. This document is an evolving document that may be adapted and revised regularly.

3. Prerequisites

7. This Improved Service Level Agreement is signed between two Parties being Proximus and the Beneficiary concerned.

¹ Conditional to the availability of sufficient resources for IT implementation, the creation of this new Enhanced ISLA choice in the Proximus systems is expected to be possible 6 months after its validation, in the subsequent Proximus IT release at the earliest or in any other subsequent release. In any event this timeframe does not contain a commitment of Proximus. In the meantime, when ordering through the MSO (GUI & SOA) interface, the "BRUO ISLA Repair" is the product choice which can be ordered by the Beneficiary as one of the product options for the Raw Copper or Shared Pair product.

8. Proximus will provide a SPOC with its respective name, mobile number or e-mail address for the purpose of follow-up or support. An escalation procedure is foreseen as described in the escalation procedure document published on the secured part of the Proximus Wholesale website – Contact information. Escalation is only relevant after the defined timer has been exceeded.
9. The document reflects only the service indicated. Any future interference due to synchronization with any other product is out of scope.
10. The Improved Service Level Agreement is not valid in situations of “Force Majeure” as defined in the “General Terms and Conditions”.
11. If an appointment is needed at the End-User address or at the Third Party site, access is authorized without negotiation. It is the responsibility of the Beneficiary to inform its End-User about the potential visit of a Proximus technician. “Stop-Clock or Freeze rules” (documented in the Annex G1 “Basic Service Level Agreement” of the present offer) will be applied in case an appointment is not accepted by the Beneficiary or its End-User at the proposed date and/or hour, in case of absence of the End-User at the appointment date and time,... and in any case of incomplete or incorrect information provided by the Beneficiary with relevance for the repair process.
12. In case of repetitive interventions (*) as a consequence of a useless End-User visit, Proximus reserves the right to not take into account the repair case concerned for the timers respect and compensations as further specified in this document.

(*) repetitive interventions: reference is made to the definition documented in the section “Terminology” of the Annex E “Planning and Operations” of the present reference offer.

4. Conditions

13. The services offered in virtue of this Improved SLA are to be described as follows:
 - A helpdesk for End-User lines issues
 - Improved timers for repair
 - Improved availability level
 - Higher compensations in case of default (compared to Basic SLA)
14. Proximus is committed to achieve for the Raw Copper and Shared Pair services the best possible quality standards; as such the timers indicated in this document are maximum time intervals.
15. Proximus confirms that it is applying normal network monitoring tasks and as such may already correct any incident detected without waiting for the Beneficiary to detect an incident.
16. This Improved SLA is valid if for every repair case the following conditions are applied:
 - The Beneficiary reports the incidents as described in the Annex E “Planning and Operations Manual” of the present ULL reference offer, section “Points of Entry for reporting an incident”.
 - The Beneficiary informs Proximus when the End-User/Third Party will be available and on site:
 - either the End-User/Third Party is always available and on site, which means that the first time slot available will be taken as appointment;

- or the End-User/Third Party is not always available and on site, which means that the Beneficiary will provide the preferred appointment dates/timeslots of the End-User/Third Party.
- Test and repair actions are authorized without negotiation or warning.

5. Terminology

17. ISLA: Improved Service Level Agreement, it refers to any of the ISLA choices described in the present document, unless otherwise stated.
18. Net Repair Time: the Gross Repair Time minus the Stop-Clock Time (applicable to the Premium ISLA choice) or the Gross Repair Time minus the Stop-Clock Time minus the Out of Window Time (applicable to the Enhanced ISLA choice).
19. Clock Hours (applicable to the Premium ISLA choice): Target Repair Time, expressed in Clock Hours, i.e. where the service to be provided by Proximus is available 24 hours per day, 7 days a week.
20. Working Hours (applicable to the Enhanced ISLA choice): Target Repair Time, expressed in Working Hours, i.e., where the service is available during Working Days from 7:00 to 22:00, including Saturday, but excluding Sunday, Belgian and Proximus holidays. Proximus holidays are 2 January and 26 December.
21. Otherwise, reference is made to Annex G1 - Basic Service Level Agreement - of the present reference offer.

6. Set-up of the service

22. The activation of the BRUO ISLA option per line can be done at ordering; the process needed to activate the ISLA option will start immediately after the implementation of the Raw Copper or Shared Pair service.
23. The choices which are offered to the Beneficiary for the BRUO ISLA option are described above in the section "Object" of the present reference offer.

7. Beneficiary's obligations

7.1 Contact persons

24. It is highly recommended that the Beneficiary provides a helpdesk. Proximus may be unable to guarantee the repair time and feedback deadlines where it is unable to inform the Beneficiary of the status of repair operations.

- 25. It is highly recommended that the Beneficiary guarantees the availability of a helpdesk during the repair intervention window of the chosen level of repair service (cf. sections above).
- 26. A technical contact at the Beneficiary will be available during the repair intervention window of the chosen level of repair service (cf. sections above).
- 27. Beneficiary will provide a SPOC with its respective name, mobile number and e-mail address for the purpose of follow-up or support.

7.2 Site access

- 28. When calling the Proximus Helpdesk, the Beneficiary will communicate the site access procedure.
- 29. Access is authorized without negotiation. It is the responsibility of the Beneficiary to inform its End-User or Third Party about the potential visit of a Proximus technician.
- 30. The appointment date and time will be agreed between the Beneficiary and Proximus.
- 31. In case the start time of the ISLA is not deferred, this implies that Beneficiary agrees with an intervention within the 4 Clock Hours (for the Premium ISLA) or 5 Working Hours (for the Enhanced ISLA), and that Beneficiary takes all necessary actions with the End-User/Third Party to give access to the Proximus technician in this timeframe.
- 32. The End-User or site contact person communicated is present at the proposed date and/or hour.
- 33. The Beneficiary shall also undertake to provide the necessary staff during the repair process.
- 34. Any failure to comply with these procedures shall result in a stop-clock / freeze rule.

7.3 Required Information

- 35. Beneficiary will provide correct information with relevance for the repair process.
- 36. In case of incomplete information in the repair case created by the Beneficiary (reference is made to the section "Beneficiary's liabilities in connection with incident reporting" documented in Annex E "Planning and Operations" of the present offer), the stop-clock / freeze rule is applicable and the timer will be unfrozen after the Beneficiary has provided the necessary information.

8. Timers

8.1 Preliminary

8.1.1 Timers

37. All timers in the present document are net timers. Delays due to Beneficiary are not taken into account and lead to stop-clocks. Reference is made to the section “Stop-Clock or Freeze rules (Repair)” defined in the Annex G1 “Basic Service Level Agreement” of the present offer.

8.1.2 General Feedback Timer

38. Proximus will give feedback to the Beneficiary within one hour after the validation of the repair case (within the applicable intervention window of the chosen BRUO ISLA option). Note that an incident is only to be considered as being closed after Proximus has given feedback to the Beneficiary.

8.2 Repair of the End-User line

39. The following sections define the Repair Timers. In case of Wrongful Repair Requests Proximus will charge the Beneficiary with the fee defined in Annex H – Pricing and Compensations.

8.2.1 Repair Case Resolution Timer

8.2.1.1 Repair Case Resolution Timer Definition

40. The Repair Case Resolution Timer starts when Proximus receives an incident report from the Beneficiary and ends at the closure of the repair case after the Beneficiary has received feedback from Proximus and has agreed with the closure of the case or hasn't reacted within 24 hours to the Proximus feedback. If an appointment is needed at the End-User address or at the Third Party site, access is authorized without negotiation. It is the responsibility of the Beneficiary to inform its End-User about the potential visit of a Proximus technician. This timer will be frozen in case the above-mentioned appointment is not accepted by the Beneficiary at the proposed date, in case of absence of the End-User at the appointment date and in any case of incomplete or manifest incorrect information provided by the Beneficiary with relevance for the repair process.

	ISLA Premium	ISLA Enhanced
Repair Case Creation	24/24 hours, 7/7 days	24/24 hours, 7/7 days
Repair Case Handling	24/24 hours, 7/7 days	15/24 hours, 6/7 days
Repair Intervention Window	24/24 hours, 7/7 days	15/24 hours, 6/7 days

8.2.12 Improved Service Level Agreement (ISLA)

	ISLA Premium	ISLA Enhanced
Repair Timer of the BRUO End-User line	<ul style="list-style-type: none"> - 4 Clock Hours (85% of the repair cases resolved) - 8 Clock Hours (95% of the repair cases resolved) - 48 Clock Hours (98% of the repair cases resolved) 	<ul style="list-style-type: none"> - 5 Working Hours (60% of the repair cases resolved) - 10 Working Hours (90% of the repair cases resolved)

41. These percentages relate to the total number of repair cases opened by the Beneficiary for BRUO Raw Copper/Shared Pair services, splicer interventions excluded, which Proximus guarantees to resolve within the specified timers when the incident is under its responsibility.

8.2.13 Applicability of the ISLA

42. Stop-clock or freeze rules as defined in the Basic SLA Annex are applied in the computation of the Repair Case Resolution Timer.
43. The Repair Timer on the End-User Line is not applicable to repair cases with Splicing Work, nor to a limitation/degradation of the service due to spectrum management if Proximus applied the correct rules.

8.2.14 Key Performance Indicator (KPI)

44. Bi-monthly computation is as follows:

$$\% \text{ Repair Case Resolution Timer} = 100\% - \frac{\left(\text{Number of repair cases with Proximus responsibility not closed within the Repair Timer} \right)}{\text{Total number of repair cases}}$$

8.2.2 Availability

45. Availability is equal to the net timer of interruption due to incidents on the Proximus network divided by the total time per year of availability committed to the End-User from the date of signing the agreement of the Raw Copper or Shared Pair service, taking into account the total number of BRUO lines from a Beneficiary subject to an ISLA. The time of interruption is defined as from the repair case start Resolution Timer for an incident that has been sorted out as being under Proximus responsibility, excluding conditions of "Force Majeure" and Wrongful Repair Requests up to the moment of the case closure, mentioned to the Beneficiary with information about the reason of the outage.

	Average yearly availability
Availability	99,4% for < 1500 lines with an improved SLA option 99,5% for 1500 lines with an improved SLA option 99,6% for 2500 lines with an improved SLA option 99,7% for > 5000 lines with an improved SLA option and conditions as described below

46. For a volume of more than 5000 lines, availability is set at 99,7 % if all of the following conditions are fulfilled. Cases where these conditions are not achieved will be out of scope of this availability improvement.
- The Beneficiary will perform its own proactive measurements following a measurement procedure agreed with Proximus and communicate the results of these measurements on a regular basis.
 - The Beneficiary will give Proximus technically the possibility to make the intervention on the pair (ensure continuity) till a demarcation point between Proximus and the Beneficiary collocation, if any (without dismantlement of the pair at the Beneficiary equipment). For this, no fast test procedure can be done, as it is always a test between Proximus and Beneficiary technician. If this is not possible, i.e. the inclusion and full conversion from all lines to a Handover Distribution Frame is needed, this case will be excluded.
 - Mention for every repair request what type of signal is coming to the End-User.
47. The volume for the applicability of case 1) can be agreed bilaterally between Proximus and the Beneficiary.

9. Prices

48. Reference is made to Annex H – "Pricing and Compensations" – of the present reference offer.

10. Terms and Conditions for Compensations

10.1 General

49. Reference is made to Annex G1 – "Basic Service Level Agreement", sub-section "Terms and Conditions for Compensations – General" of the present ULL reference offer –, except for the

paragraph which describes the method to apply in order to determine the population of cases subject to compensation and which is replaced by the following paragraph.

50. In order to determine the compensation due by Proximus, the following method will be applied:
- $(100\% - \text{KPI} \%)$ of the interventions are eligible for compensations. Those interventions allow the Beneficiary and Proximus to compute the maximum applicable compensation (MAC).
 - A corrective factor equal to $(\text{\%SLA} - \text{\%KPI}) / (100\% - \text{\%KPI})$ will be applied to the MAC in order to determine the compensation due by Proximus.
51. In case several of these Repair Timers are not reached for a same case, the highest compensation can only be claimed by the Beneficiary to avoid counting twice a compensation due to a same incident.
52. Illustration of compensations: reference is made to the annex entitled “Methodology regarding computation of compensations” documented on the Beneficiary’s Personal Page of the Proximus Wholesale website (in the section Regulated Services – Reference Offer of the present services).

10.2 End-User line Repair Timer Escalations

53. Incidents which last more than the timers as described in the section “Repair Case Resolution Timer” of the present document and are under Proximus responsibility shall entitle Beneficiary to receive the payment of the compensation due by Proximus.

10.2.1 Repair Case Resolution Timer

54. For the amount of compensations on the Repair Case Resolution Timer, reference is made to Annex H – “Pricing and Compensations”.

10.2.2 Availability

55. In case the guaranteed minimum yearly availability of the line is not respected due to a cause that is not external to Proximus, the Beneficiary is entitled to compensations the amount of which is described in the Annex H – “Pricing and Compensations” of the present ULL reference offer.
56. Unlike other (I)SLAs for which compensations may only be claimed by the Beneficiary when its aggregated KPI at aggregate product level (BRUO and Bitstream together) is inferior to the (I)SLA for the whole calendar year, compensations for the Availability ISLA may be claimed when the KPI for all BRUO lines (no aggregation of BRUO and Bitstream lines) for the whole calendar year is not respected.

◆◆◆◆◆ End of document ◆◆◆◆◆